RECOMMENDED PCB LAYOUT FOR FHP-SM (SINGLE) REVISION E

6/21/2016

ECN-278088




FIG 1 E

AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.



REVISION E RECOMMENDED PCB LAYOUT FOR FHP-SM (SINGLE) - PASS THROUGH OPTION




FIG 2 \blacksquare (DIFFERENT AS SHOWN, OTHERWISE SAME AS FIG 1)

PROPRIETARY NOTE
THIS DOCUMENT CONTAINS CONFIDENTIAL AND
POPRIETARY NORMATION AND ALL DESIGN,
MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS
AND SALES RIGHTS ARE EXPRESSLY RESERVED SAMMEZ,
INC. THIS DOCUMENT SHALL ROT BE DESCLOSED, IN WHOLE
OF PART, TO ANY UNAUTHORIZED PERSON OR ENTITY NOR
PREPODUCED, TRANSFERRED OR INCOPRORATED IN ANY
OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS
WRITTER CONSENT OF SAMTE, INC.



REVISION E

RECOMMENDED STENCIL LAYOUT FOR FHP-SM (SINGLE)

NOTE: STENCIL TO BE .006[0.15] THICK.

OPTION	"A"
FHP-SM (SINGLE)	.135[3.43]
FHP-SM (SINGLE) - PASS THROUGH OPTION	.098[2.49]




FIG 3 **E**

OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS